

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20030079143"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/14 21:57
S1	1	("20040259952").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 15:06
S2	1	("20040259552").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 15:06
S3	1	("2003338821").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/01/22 16:04
S4	78182	radio with network	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:13
S5	1551285	identification or ssid or "set service identifier" or ap or access poing	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:14
S6	257569	security or wep or "wired equivalent privacy"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:14
S7	3730742	set\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:15
S8	18513	S4 AND S5 AND S6 AND S7	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:15
S9	2215	709/228.CCLS.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:16
S10	106	S8 AND S9	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:16
S11	67	S10 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:17
S12	635859	identification or ssid or "set service identifier" or ap or "access point"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:18
S13	13960	S4 AND S12 AND S6 AND S7	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:18
S14	76	S13 AND S9	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:18

S15	47	S14 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:18
S16	47	S14 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/22 16:24
S17	221956	wireless with communicat\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:28
S18	35760	S17 AND S12 AND S6 AND S7	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:28
S19	180	S18 AND S9	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 16:29
S20	112	S19 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/22 16:29
S21	1	("7188244").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:07
S22	1	("5875394").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:09
S23	0	("63777792").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:09
S24	1	("6377792").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:10
S25	1	("6535855").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:10
S26	1	("6834111").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:11
S27	1	("6301643").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:12
S28	1	("5835860").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:12
S29	1	("20020037699").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:13
S30	1	("20020111138").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:14
S31	0	("2003162556").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:14

S32	1	("20030162556").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:15
S33	1	("6600902").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:16
S34	1	("6856789").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:16
S35	1	("20050020207").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:16
S36	1	("7120129").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:18
S37	1	("20040076300").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:18
S38	1	("20040259552").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/01/22 17:19
S39	296332	(wireless or radio) with communicat\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 17:21
S40	41434	S39 AND S12 AND S6 AND S7	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 17:21
S41	205	S40 AND S9	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 17:22
S42	129	S41 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 17:22
S43	43934	S39 AND S12 AND S6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 17:41
S44	207	S43 AND S9	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 17:42
S45	130	S44 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 17:42
S46	43934	S43	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/22 17:43
S47	296178	((radio or wireless) with (communication or network))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/23 12:52
S48	1311145	identifi\$7 or ssid or "set service identifier"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:52

S49	257569	security or wep or "wired equivalent privacy"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:53
S50	257569	S49	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:53
S51	32077	(identifi\$7 or ssid or "set service identifier") WITH (security or wep or "wired equivalent privacy")	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:54
S52	13008	S47 AND S51	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:54
S53	116	S52 AND 709/228	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:55
S54	2215	709/228.CQLS	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:55
S55	58	S54 AND S52	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:55
S56	34	S55 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:56
S57	1821	ssid or "set service identifier"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:56
S58	1725	wep or "wired equivalent privacy"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:56
S59	483	S47 AND S57 AND S58	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:57
S60	6	S54 AND S59	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 12:57
S61	296178	((radio or wireless) with (communication or network))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/23 17:42
S62	296178	S61	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/23 17:42
S63	896	"probe request"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/23 17:43
S64	1821	ssid or "set service identifier"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 17:43
S65	1821	S64	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/23 17:43

S66	1725	wep or "wired equivalent privacy"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 17:43
S67	1725	S66	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/23 17:43
S68	85	S61 AND S63 AND S64 AND S66	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/23 17:45
S69	13	S68 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 17:46
S70	144	set\$5 with (ssid or "set service identifier") WITH (wep or "wired equivalent privacy")	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 17:48
S71	18	S70 AND S63	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 17:49
S72	0	S71 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/23 17:49
S73	2	"probe request" and ("personal computer memory card" or pcmcia) and decrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/24 11:24
S74	452024	radio	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/24 12:31
S75	22516	network near3 (id or identification)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/24 12:32
S76	257599	security	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/24 12:32
S77	4351079	(set or preset or previous\$3 or advance\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/24 12:33
S78	1	S73 AND S74 AND S75 AND S76 AND S77	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/24 12:33
S79	1	S73 AND S74 AND S75 AND S76	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/24 12:34
S80	84	radio same LAN same (set \$5 near3 information)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/01/31 12:58
S81	28	S80 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/31 12:59
S82	1160	radio same network same (set\$5 near3 information)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/02/01 10:51

S83	613	S82 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/01 10:52
S84	890	radio with network same (set \$5 near3 information)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/02/01 10:52
S85	478	S84 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/01 10:52
S86	1843	ssid or "set service identifier"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/01 10:53
S87	1738	wep or "wired equivalent privacy"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/01 10:53
S88	16	S84 and S86 and S87	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/02/01 10:53
S89	0	S88 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/01 10:54
S90	84	radio same LAN same (set \$5 near3 information)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/02/01 11:10
S91	11	S90 and S86 and S87	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/02/01 11:10
S92	114	(wireless radio) same network same (set\$5 with information) same wep	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/08 10:02
S93	16	S92 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/08 10:03
S94	3838097	(wireless radio) (predetermined predefined preset fixed advance) (wep "wired equivalent privacy")	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/08/08 10:37
S95	58	(wireless radio) with (predetermined predefined preset fixed advance) with (wep "wired equivalent privacy")	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2008/08/08 10:37
S96	13	S95 AND @ad<"20030411"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/08 10:37
S97	3	"7221667"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/08 10:50

S98	85459	radio near6 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:24
S99	465702	radio near6 network and set \$3 (security or wep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:25
S100	1273	radio near6 network and set \$3 near6 (security wep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:25
S101	38	radio near6 network and set \$3 near6 (security wep) near6 (predetermined predefined preset fixed advance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:26
S102	35128953	((@ad<"20030411" @rlad<"20030411" @pd<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:27
S103	18	S101 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:27
S104	9989	709/227-229.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:31
S105	224	(wireless radio) and (predetermined predefined preset fixed advance) near6 (identification id ssid (service adj set adj identifi \$6)) near6 (security wep "wired equivalent privacy")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:34
S106	129	S102 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:35
S107	2	S104 and S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:35

S108	87	(wireless radio) adj (LAN network) and (predetermined predefined preset fixed advance) near6 (identification id ssid (service adj set adj identifi \$6)) near6 (security wep "wired equivalent privacy")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:38
S109	45	S102 and S108	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:38
S110	26179	(wireless radio) adj (LAN network) and (access adj point AP) (predetermined predefined preset fixed advance) near6 (identification id ssid (service adj set adj identifi \$6)) near6 (security wep "wired equivalent privacy")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:47
S111	45	(wireless radio) adj (LAN network) and (access adj point AP) and (predetermined predefined preset fixed advance) near6 (identification id ssid (service adj set adj identifi \$6)) near6 (security wep "wired equivalent privacy")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:47
S112	20	S102 and S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:47
S113	8	(wireless radio) adj (LAN network) and set\$3 near3 (predetermined predefined preset fixed advance) near6 (identification id ssid (service adj set adj identifi \$6)) near6 (security wep "wired equivalent privacy")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:49
S114	6	((access adj point) AP) near6 (predetermined predefined preset fixed advance) near6 (ssid and wep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:13
S115	1	("2006/0209773").URFN.	USPAT	OR	OFF	2008/08/08 16:15
S116	34	((access adj point) AP WAP station) near6 (set\$3) near6 (ssid and wep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:22



S117	6	S102 and S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:23
S118	16	request with (ssid and wep) with ((access adj point) AP WAP station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:26
S119	4	S102 and S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:32
S120	0	((access adj point) AP WAP station) near6 (predetermined predefined preset fixed advance) near6 ((network near3 name) and (security adj key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:38
S121	0	(receiver ((video disk) near3 record\$3)) near6 request with (ssid and wep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/08 16:47
S122	2	(receiver ((video disk) near3 record\$3)) near6 (ssid and wep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/08 16:47
S123	232	((access adj point) AP WAP station) same (set\$3) same (ssid and wep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:03
S124	50	S102 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:03
S125	37	(request select) with (ssid and wep)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:13
S126	7	S102 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:14

S127	16595	(access adj point AP) and (identification id ssid (service adj set adj identifi \$6)) and (security wep "wired equivalent privacy")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:24
S128	9430	S102 and S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:24
S129	6750	(access adj point AP) and (identification id ssid (service adj set adj identifi \$6)) same (security wep "wired equivalent privacy")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:25
S130	3990	S102 and S129	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:25
S131	125	S104 and S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 17:25
S132	52898	(wlan ((wireless radio) adj area adj network) ((wireless radio) adj lan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 10:44
S133	563	(ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) same (wep "wired equivalent privacy" security near3 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 10:52
S134	19	(ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) same (wep "wired equivalent privacy" security near3 key) same (random near3 number)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 10:53
S135	12	(ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) same (wep "wired equivalent privacy" security near3 key) same (probe adj request)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 11:26
S136	2	("20060142034").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:33

S137	848141	(station client AP WAP NIC (network adj interface adj (card controller))((PC network) near6 card) (access adj point) (wireless adj ((access adj point) ap router)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 12:47
S138	12	(station client AP WAP NIC (network adj interface adj (card controller))((PC network) near6 card) (access adj point) (wireless adj ((access adj point) ap router))) SAME (generat\$3 creat\$3 develop\$3 form\$3 produc\$3) and S135	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 12:51
S139	6892973	(station client) (generat\$3 creat\$3 develop\$3 form\$3 produc\$3) (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) same (wep "wired equivalent privacy" security near3 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 12:59
S140	6	(station client) near6 (generat\$3 creat\$3 develop\$3 form\$3 produc\$3) near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) same (wep "wired equivalent privacy" security near3 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 12:59
S141	2	("20080021237").PN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 13:09
S142	4994	(generat\$3 creat\$3 develop\$3 form\$3 produc\$3) near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:12
S143	23868	(generat\$3 creat\$3 develop\$3 form\$3 produc\$3) near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) ner6 (wep "wired equivalent privacy" security near3 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:13
S144	32394	(generat\$3 creat\$3 develop\$3 form\$3 produc\$3) near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) ner6 (wep "wired equivalent privacy" security near6 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:13

S145	39	(generat\$3 creat\$3 develop\$3 form\$3 produc\$3) near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) near6 (wep "wired equivalent privacy" security near6 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:14
S146	10694886	((@ad<"20030411" @rlad<"20030411" @pd<"20030411"))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:15
S147	13	S145 and S146	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:15
S148	8	S134 and S146	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:39
S149	8	random near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) near6 (wep "wired equivalent privacy" security near6 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:44
S150	7	(station client) near6 (request\$3) near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) same (wep "wired equivalent privacy" security near3 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 13:46
S151	2	("6577643").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 14:33
S152	3	("6608832").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 14:38
S153	2	("20050025182").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 16:40
S155	5	probe adj request with wep	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 16:46
S156	92	probe same (wep "wired equivalent privacy" security near3 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 16:47
S157	10694886	((@ad<"20030411" @rlad<"20030411" @pd<"20030411"))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 16:48

S158	42	S157 and S156	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/11 16:48
S159	18	probe adj request same wep	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/12 17:51
S160	10695710	((@ad<"20030411" @rlad<"20030411" @pd<"20030411"))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/12 17:51
S161	6	S159 and S160	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/12 17:51
S162	100	(probe adj request) same (wep "wired equivalent privacy" security (security near3 key))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/12 17:54
S163	16	S160 and S162	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/12 17:54
S164	31	(probe adj request) same encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/12 18:16
S165	5	S160 and S164	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/12 18:16
S166	772	active adj scanning	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/12 18:29
S167	37	(active adj scanning) same (wep "wired equivalent privacy" encrypt\$3 security)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/12 18:31
S168	16	S160 and S167	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/12 18:31
S169	95	(management adj frame) same (wep "wired equivalent privacy" encrypt \$3 security)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/12 19:10
S170	155	(management adj frame) same (wep "wired equivalent privacy" encrypt \$3 security)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 19:10
S171	57	S160 and S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 19:10

S172	0	(probe management) near6 respon\$4 near6 (predetermined predefined preset fixed preconfigur\$5) near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi\$6)) near6 (wep "wired equivalent privacy" encrypt \$3 authenticat\$3 security)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 20:46
S173	13	(probe management) near6 respon\$4 near6 (ssid (set adj service adj identifi\$6) network near3 (name identifi \$6)) near6 (wep "wired equivalent privacy" encrypt \$3 authenticat\$3 security)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 20:46
S174	57	S160 and S170	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 20:47
S175	3	S160 and S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 20:47
S176	42716	(probe management) near6 respon\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 20:48
S177	32	(probe management) near6 respon\$4 with (ssid (set adj service adj identifi\$6) network near3 (name identifi \$6)) with (wep "wired equivalent privacy" encrypt \$3 authenticat\$3 security)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 20:49
S178	10	S160 and S177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/12 20:49
S179	2875	(pda laptop handheld cell \$1phone notebook ((lap palm) adj (top pilot)) (mobile adj device) (palm adj pilot) palmpilot palmtop ((portable tiny pocket subnotebook cell cellular) adj (computer workstation (work adj station) phone telephone))) WITH (security encrypt\$3 password) WITH (transmit\$4 request\$3 send \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 11:51

S180	1016	380/270.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 11:52
S181	63	S179 AND S180	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 11:52
S182	10695710	((@ad<"20030411" @rlad<"20030411" @pd<"20030411")	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/08/13 11:53
S183	10695710	S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 11:53
S184	46	S181 AND S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 11:53
S185	519	((pda laptop handheld cell \$1phone notebook((lap palm) adj (top pilot)) (mobile adj device) (palm adj pilot) palmpilot palmtop ((portable tiny pocket subnotebook cell cellular) adj (computer workstation (work adj station) phone telephone))) NEAR6 (transmit\$4 request\$3 send \$3) NEAR6 (((security encrypt\$3) adj key) password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 12:35
S186	10695710	S182 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 12:36
S187	213	S182 and S185	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 12:36

S188	78	(pda laptop handheld cell \$1phone notebook((lap palm) adj (top pilot)) (mobile adj device) (palm adj pilot) palmpilot palmtop ((portable tiny pocket subnotebook cell cellular) adj (computer workstation (work adj station) phone telephone))) NEAR6 (transmit\$4 request\$3 send \$3) NEAR6 (((security encrypt\$3) adj key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 12:41
S189	35	S182 and S188	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 12:41
S190	1117	S179 and S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 12:58
S191	1405	(pda laptop handheld cell \$1phone notebook ((lap palm) adj (top pilot)) (mobile adj device) (palm adj pilot) palmpilot palmtop ((portable tiny pocket subnotebook cell cellular) adj (computer workstation (work adj station) phone telephone))) NEAR6 (transmit\$4 request\$3 send \$3) NEAR6 (security encrypt \$3 password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 12:59
S192	548	S182 AND S191	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 12:59
S193	6524	709/227,228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 14:34
S194	171	S193 and (wireless or radio) and security with session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 14:34
S195	35105838	((@ad< "20030405" @rlad< "20030405" @pd< "20030405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:35



S196	90	S193 and (wireless or radio) same session and security with session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:37
S197	68	S195 and S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:37
S198	126	S194 and S195	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 14:38
S199	6532	709/227,228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 09:31
S200	90	S199 and (wireless or radio) same session and security with session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 09:31
S201	12	S200 and handshake	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 09:32
S202	35106211	((@ad<"20030405" @rlad<"20030405" @pd<"20030405")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 09:32
S203	10	S201 and S202	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 09:32

8/ 14/ 2008 10:08:09 PM

C:\Documents and Settings\thighter\My Documents\EAST\Workspaces\10816843.wsp